



















- application machine. *J. Agric. Mech. Res.* 2:19-22.
- Joan R., Ricardo S., Jordi L., Jaume A., Alexandre E., Manel R., Joan M., Ferran C., Felip G., Francesc S., Tomàs P., Luis V., Santiago P., Emilio G., Jordi P. 2009. A tractor - mounted scanning LIDAR for the non - destructive measurement of vegetative volume and surface area of tree - row plantations: a comparison with conventional destructive measurements. *Biosyst. Eng.* 102:128-34.
- Kazerani M. 2003. A direct AC/AC converter based on current-source converter modules. *IEEE T. Power Electr.* 18:1168-75.
- Ling H., Deng W. 2005. The energy saving analysis of the pump's pressure and speed adjustment. *J. Xiangtan Normal Uni. Nat. Sci. Ed.* 26:54-5.
- Ma B., Qi K. 2006. Research on speed regulating method and energy saving analysis in pumps AC motors. *Build. Electr.* 25:41-7.
- Praice M.E.R., Miller P.C.H., Day W. 1996. Control requirements for spatially selective herbicide sprayers. *Comput. Electron. Agr.* 14:163-77.
- Shao L., Dai Z., Cui H., Wei Y., Zhu D., Li B. 2005. Study on a pesticide system spraying with changeable quantity based on fuzzy control. *T. Chin. Soc. Agric. Mach.* 36:110-2.
- Shao L., Dai Z., Wei Y., Ge J., Li B., Zhu D. 2006. The research and simulation of fuzzy controller based on variable applying pesticide of sprayer. *J. Syst. Simul.* 18:3224-6.
- Shen M., Zhang F., Wu X., Liu G., Chen Y. 2013. A method for detecting fruiter crown diameter in variable-rate spray system. *J. Graphics* 34:115-20.
- Sudduth K.A., Borgelt S.C., Hou J. 1995. Performance of a chemical injection sprayer system. *Appl. Eng. Agr.* 11:343-8.
- Wang Z.A., Huang J. 2000. *Power electronics*. China Machine Press, Beijing, China.
- Wei X., Yu D., Bai J., Jiang S. 2013. Static spray deposition distribution characteristics of PWM-based intermittently spraying system. *T. Chin. Soc. Agric. Eng.* 29:19-24.
- Yang S., Yang K. 2009. *Basic mechanic engineering control*. Huazhong University of Science and Technology Press, Wuhan, China.
- Yang X., Yan H., Xu S., Liu Z. 2002. Current situation and development trend of equipment for crop protection. *T. Chin. Soc. Agric. Mach.* 33:129-31.
- Yu L., Huang J., Zhao Z., Zhang L., Sun D. 2013. Laser measurement and experiment of hilly fruit tree canopy volume. *T. Chin. Soc. Agric. Mach.* 44:224-8.
- Zhai C., Zhao C., Wang X., Liu Y., Ge J., Ma Y., Xue W. 2012. Design and experiment of young tree target detector. *T. Chin. Soc. Agric. Eng.* 28:18-22.
- Zhang L., Zhao Z., Yu L., Zhang Z., Huang J. 2010. Positioning algorithm for ultrasonic scanning of fruit tree canopy and its tests. *T. Chin. Soc. Agric. Eng.* 26:192-7.
- Zhou S. 2013. Research on control strategy in single-phase AC chopper technology. *Ind. Contr. Comput.* 3:115-6.

Non commercial use only