

- (Basel) 13:9331.
- Pinto, S., Hoffmann, G., Ammon, C., Amon, T. (2020). Critical THI thresholds based on the physiological parameters of lactating dairy cows. *J. Therm. Biol.* 88:102523.
- Richards, P.J., Hoxey, R.P. (1993). Appropriate boundary conditions for computational wind engineering models using the $k-\epsilon$ turbulence model. *J. Wind Eng. Ind. Aerod.* 46-47:145-153.
- Rong, L., Liu, D., Pedersen, E.F., Zhang, G. (2015). The effect of wind speed and direction and surrounding maize on hybrid ventilation in a dairy cow building in Denmark. *Energ. Build.* 86:25-34.
- Rong, L., Nielsen, P.V., Bjerg, B., Zhang, G. (2016). Summary of best guidelines and validation of CFD modeling in livestock buildings to ensure prediction quality. *Comput. Electron. Agr.* 121:180-190.
- Saha, C.K., Yi, Q., Janke, D., Hempel, S., Amon, B., Amon, T. (2020). Opening size effects on airflow pattern and airflow rate of a naturally ventilated dairy building - A CFD study. *Appl. Sci.* 10:6054.
- Teitel, M., Wenger, E. (2014). Air exchange and ventilation efficiencies of a monospan greenhouse with one inflow and one outflow through longitudinal side openings. *Biosyst. Eng.* 119:98-107.
- Tomasello, N., Valenti, F., Cascone, G. (2019). Development of a CFD model to simulate natural ventilation in a semi-open freestall barn for dairy cows. *Buildings* 9:183.
- Tominaga, Y., Mochida, A., Yoshie, R., Kataoka, H., Nozu, T., Yoshikawa, M., Shirasawa, T. (2008). AIJ guidelines for practical applications of CFD to pedestrian wind environment around buildings. *J. Wind Eng. Ind. Aerod.* 96:1749-1761.
- Tresoldi, G., Schütz, K.E., Tucker, C.B. (2019). Cooling cows with sprinklers: Effects of soaker flow rate and timing on behavioral and physiological responses to heat load and production. *J. Dairy Sci.* 102:528-538.
- Tu, J., Yeoh, G.H., Liu, C. (2012). *Computational fluid dynamics: a practical approach*. Oxford, Butterworth-Heinemann.
- Vitali, M., Santolini, E., Bovo, M., Tassinari, P., Tonnegliani, D., Trevisi, P. (2021). Behavior and welfare of undocked heavy pigs raised in buildings with different ventilation systems. *Animals (Basel)* 11:2338.
- Wang, K., Pan, Q., Li, K. (2017). Computational fluid dynamics simulation of the hygrothermal conditions in a weaner house in eastern China. *Trans. ASABE* 60:195-205.
- Wang, X., Wu, J., Yi, Q., Zhang, G., Amon, T., Janke, D., Li, X., Chen, B., He, Y., Wang, K. (2021). Numerical evaluation on ventilation rates of a novel multi-floor pig building using computational fluid dynamics. *Comput. Electron. Agr.* 182:106050.
- Wang, X., Zhang, G., Choi, C.Y. (2018a). Effect of airflow speed and direction on convective heat transfer of standing and reclining cows. *Biosyst. Eng.* 167:87-98.
- Wang, X., Zhang, G., Choi, C.Y. (2018b). Evaluation of a precision air-supply system in naturally ventilated freestall dairy barns. *Biosyst. Eng.* 175:1-15.
- Willits, D. H. (2002). The effect of shade cloth temperature on the cooling efficiency of shade cloths in greenhouses. *Proc. 2002 ASAE Annual Meet., Paper 021113*. St. Joseph, American Society of Agricultural and Biological Engineers.
- Wu, W., Zhai, J., Zhang, G., Nielsen, P.V. (2012). Evaluation of methods for determining air exchange rate in a naturally ventilated dairy cattle building with large openings using computational fluid dynamics (CFD). *Atmos. Environ.* 63:179-188.
- Xin, Y., Rong, L., Wang, C., Li, B., Liu, D. (2022). CFD study on the impacts of geometric models of lying pigs on resistance coefficients for porous media modelling of the animal occupied zone. *Biosyst. Eng.* 222:93-105.
- Yee, H.C. (1987). Construction of explicit and implicit symmetric TVD schemes and their applications. *J. Comput. Phys.* 68:151-179.
- Zhang, Z., Zhang, W., Zai, J.Z., Chen, Q.Y. (2007). Evaluation of various turbulence models in predicting airflow and turbulence in enclosed environments by CFD: Part 2 - Comparison with experimental data from literature. *HVAC&R Res.* 13:871-886

Non-commercial use only