## **Journal of Agricultural Engineering**

eISSN: 2239-6268

https://www.agroengineering.org/

## SUPPLEMENTARY MATERIAL

Study on the seed metering performance of potato seed metering device with three claw type on DEM

Linrong Shi, Erhao Chen, Yuhuan Sun

College of Mechanical and Electrical Engineering, Gansu Agricultural University, Lanzhou, China

©The Author(s), 2025 Licensee <u>PAGEPress</u>, Italy

**Note**: The publisher is not responsible for the content or functionality of any supporting information supplied by the authors. Any queries should be directed to the corresponding author for the article.

Table S1. Experiment factors and levels of seed cleaning experiments

| Level | The angle of seed clearing plate $X_4/^\circ$ |
|-------|---|
| -1    | 6   |
| 0     | 8   |
| 1     | 10  |

Table S2. Experiment scheme and results of seed cleaning experiments

| <i>X</i> <sub>4</sub> /° | Qualification rate /% | Seed missing rate /% |
|--------------------------|-----------------------|----------------------|
| -1                       | 85.3                  | 4.3                  |
| -1                       | 84.7                  | 4.1                  |
| -0.5                     | 88.7                  | 3.5                  |
| 0.5                      | 89.2                  | 4.5                  |
| 1                        | 84.2                  | 5.6                  |
| 1                        | 83.4                  | 5.4                  |
| 0                        | 90.1                  | 3.9                  |

Table S3. Analysis of variance of seed cleaning experiments

| Resource of | Qualification rate |         |                           |        | Seed missin | ng rate |                           |        |
|-------------|--------------------|---------|---------------------------|--------|-------------|---------|---------------------------|--------|
| variance    | Square             | Freedom | $\boldsymbol{\mathit{F}}$ | p      | Square      | Freedom | $\boldsymbol{\mathit{F}}$ | p      |
| Model       | 43.56              | 2       | 78.63                     | 0.0006 | 3.64        | 2       | 64.81                     | 0.001  |
| $X_4$       | 1.03               | 1       | 3.71                      | 0.1264 | 2.14        | 1       | 76.28                     | 0.0009 |
| $X_4^2$     | 42.53              | 1       | 153.56                    | 0.0002 | 1.33        | 1       | 47.39                     | 0.0023 |
| Residuals   | 1.11               | 4       |                           |        | 0.11        | 4       |                           |        |
| Non-fitting | 0.61               | 2       | 0.30                      | 0.6    | 0.072       | 2       | 1.8                       | 0.94   |
| term        |                    |         |                           |        |             |         |                           |        |
| Error       | 0.50               | 2       |                           |        | 0.04        | 2       |                           |        |
| Sum         | 44.67              | 6       |                           |        | 3.57        | 6       |                           |        |

Table S4. Experiment factor and level of orthogonal experiments

|       |  | Factor                                   |   |
|-------|--|--|---|
| Level | Speed of seed picking X <sub>1</sub> (m/s) | Seed picking claw<br>Type X <sub>2</sub> | The angle of seed clearing plate $X_3/^\circ$ |
| -1    | 0.4  | A  | 6   |
| 0     | 0.5  | В  | 9   |
| 1     | 0.6  | С  | 11  |

 Table S5. Scheme and results of orthogonal experiments

| Factor Result |       |       |                     | Result            |
|---------------|-------|-------|---------------------|-------------------|
| $X_1$         | $X_2$ | $X_3$ | Seed replaying rate | Seed missing rate |
| -1            | -1    | 0     | 1.8                 | 5.5               |
| 1             | -1    | 0     | 2.5                 | 4.0               |
| -1            | 1     | 0     | 2.0                 | 6.1               |
| 1             | 1     | 0     | 2.6                 | 3.5               |
| -1            | 0     | -1    | 1.0                 | 5.7               |
| 1             | 0     | -1    | 2.3                 | 4.5               |
| -1            | 0     | 1     | 1.2                 | 3.9               |
| 1             | 0     | 1     | 2.5                 | 3.5               |
| 0             | -1    | -1    | 1.3                 | 7.0               |
| 0             | 1     | -1    | 3.0                 | 3.5               |
| 0             | -1    | 1     | 1.4                 | 2.9               |
| 0             | 1     | 1     | 1.9                 | 4.3               |
| 0             | 0     | 0     | 1.7                 | 4.6               |
| 0             | 0     | 0     | 1.9                 | 5.2               |
| 0             | 0     | 0     | 2.0                 | 3.5               |
| 0             | 0     | 0     | 2.0                 | 3.5               |
| 0             | 0     | 0     | 1.9                 | 4.2               |

**Table S6.** Analysis of variance of of orthogonal experiments

| Index             | Source of variance | Square | Freedom | F value | p       |
|-------------------|--------------------|--------|---------|---------|---------|
|                   | Model              | 3.57   | 9       | 2.87    | 0.0890  |
|                   | $X_1$              | 1.9    | 1       | 13.76   | 0.0076  |
|                   | $X_2$              | 0.78   | 1       | 5.65    | 0.0491  |
| Q 1               | $X_3$              | 0.045  | 1       | 0.33    | 0.05861 |
| Seed              | $X_1X_2$           | 0.0025 | 1       | 0.018   | 0.8968  |
| replaying<br>rate | $X_1X_3$           | 0.0088 | 1       | 0.0642  | 1.0000  |
| $Y_1$             | $X_2X_3$           | 0.36   | 1       | 2.6     | 0.0506  |
| •                 | $X_{1}^{2}$        | 0.032  | 1       | 0.23    | 0.0331  |
|                   | $X_2^2$            | 0.24   | 1       | 1.72    | 0.02312 |
|                   | $X_3^2$            | 0.24   | 1       | 1.72    | 0.2313  |
|                   | Non-fitting term   | 0.91   | 3       |         | 0.0071  |
|                   | Error              | 0.060  | 4       | 2.95    |         |
|                   | Sum                | 4.54   | 16      |         |         |
|                   | Model              | 16.33  | 9       | 4.09    | 0.00384 |
|                   | $X_1$              | 0.55   | 1       | 1.23    | 0.03018 |
|                   | $X_2$              | 1.62   | 1       | 3.65    | 0.0976  |
|                   | $X_3$              | 3.00   | 1       | 6.77    | 0.00354 |
|                   | $X_1X_2$           | 3.06   | 1       | 6.90    | 0.0340  |
| Seed              | $X_1X_3$           | 1.96   | 1       | 4.42    | 0.737   |
| missing           | $X_2X_3$           | 4.20   | 1       | 9.47    | 0.79    |
| rate $Y_2$        | $X_1^2$            | 1.23   | 1       | 2.77    | 0.1401  |
|                   | $X_2^2$            | 0.56   | 1       | 1.26    | 0.2979  |
|                   | $X_3^2$            | 0.11   | 1       | 0.26    | 0.6372  |
|                   | Non-fitting term   | 2.12   | 3       |         |         |
|                   | Error              | 0.99   | 4       | 2.86    | 0.1683  |
|                   | Sum                | 19.44  | 16      |         |         |

Table S7. Simulation and experiment results comparison

| <b>Experiment index</b> | Simulation experiment | Bench experiment |
|-------------------------|-----------------------|------------------|
| Seed replaying rate, %  | 2.5                   | 3.7              |
| Seed missing rate, %    | 1.6                   | 2.9              |