























- Engineering 156:185-91.
- Bos M.G. 1989. Discharge measurement structures. International Institute for Land Reclamation and Improvement (ILRI), Wageningen, The Netherlands.
- Carollo F.G., Ferro V., Pampalone V. 2008. Esperienze sull'efflusso di uno sfioratore a profilo W. Quad. Idronomia Montana 28/2:405-20.
- Carollo F.G., Ferro V., Pampalone V. 2011. Experimental investigation of the outflow process over a triangular labyrinth-weir. J. Irrig. Drain. Eng. ASCE 138:73-9.
- Darvas L.A. 1971. Discussion of performance and design of labyrinth weirs, by Hay and Taylor. Hydr. Engine. ASCE 97:1246-51.
- De Martino G., Ragone A. 1984. Effects of viscosity and surface tension on slot weirs flow. J. Hydr. Res. 22:327-41.
- Di Stefano C., Ferro V. 2013. A new approach for deducing the stage-discharge relationship of triangular in plan sharp-crested weirs. Flow Measure. Instr. 32:71-5.
- Di Stefano C., Ferro V., Bijankhan M. 2016a. Discussion of "Extraction of the flow rate equation under free and submerged flow conditions in pivot weirs with different side contractions by S.R. Nikou, M.J. Monem and K. Safavi". J. Irrig. Drain. Eng. ASCE [In press].
- Di Stefano C., Ferro V., Bijankhan M. 2016b. New theoretical solution of the outflow process for a weir with complex shape. J. Irrig. Drain. Eng. ASCE. 142:04016036-1-9.
- Ferro V. 2012. New theoretical solution of the stage-discharge relationship for sharp-crested and broad weirs. J. Irrig. Drain. Eng. ASCE 138:257-65.
- Ferro V. 2013. Closure to "New theoretical solution of the stage-discharge relationship for sharp-crested and broad weirs by V. Ferro". J. Irrig. Drain. Eng. ASCE 139:518-20.
- Ferroglio L. 1938. Contributo allo studio dello stramazzo circolare. L'Industria LII:214-21.
- Gentilini B. 1940. Stramazzi con cresta a pianta obliqua e zigzag. Memorie e Studi del Regio Politecnico di Milano 48:1-12.
- Gharahjeh S., Aydin I., Altan-Sakarya A.B. 2015. Weir velocity formulation for sharp-crested rectangular weirs. Flow Measure. Instr. 41:50-6.
- Ghobadian R., Meratifashi E. 2012. Modified theoretical stage-discharge relation for circular sharp-crested weirs. J. Water Sci. Engine. 5:26-33.
- Greve F.V. 1932. Flow of water through circular, parabolic, and triangular vertical notch weirs. Engine Bull. Purdue Univ. 40:37-60.
- Hager W.H., Schwalt M. 1994. Broad-crested weir. J. Irrig. Drainage Eng. ASCE 120:13-26.
- Hay N., Taylor G. 1970. Performance and design of labyrinth weirs. J. Irrig. Drainage Eng. ASCE 96:2337-57.
- Herschly H. 1999. Hydrometry. Principles and practices. Wiley, New York, NY, USA, pp 55-60.
- Horton R.E. 1907. Weir experiments, coefficients, and formulas. Proc. U.S. Geological Survey Water Supply, Government Printing Office, Washington, DC, USA.
- Igathinathane C., Srikanth I., Prakash K., Ramesh B., Womac A.R. 2007. Development of parabolic weirs for simplified discharge measurement. Biosyst. Eng. 96:111-9.
- Jorissen A. 1943. Contribution a l'etude du deversoir circulaire en mince paroi. Rev. Gén. Hydr. 9:9-23.
- Kumar S., Ahmad Z., Mansoor T. 2011. A new approach to improve the discharging capacity of sharp-crested triangular plan form weirs. Flow Measure. Instr. 22:175-80.
- Mehrzad M., Kouchakzadeh S., Bijankhan M. 2016. Discussion of "Discharge coefficient analysis for triangular sharp-crested weirs using low-speed photographic technique" by Bautista-Capetillo C, Roble O, JÚnez-Ferreira H, Playán E. J. Irrig. Drainage Eng. ASCE 142:07014066-1-07014066-2.
- Nikou N.S.R., Monem M.J., Safavi K. 2016. Extraction of the flow rate equation under free and submerged flow conditions in pivot weirs with different side contractions. J. Irrig. Drainage Eng. ASCE 142:04016025-1-04016025-8.
- Prakash M.N.S., Ananthayya M.B., Kovoov G.M. 2011. Inclined rectangular weir-flow modeling. J. Earth Sci. India 4:57-67.
- Ramponi F. 1936. Sugli stramazzi di misura circolari. L'Energia Elettrica 13:51-8.
- Ranga Raju K.G., Asawa G.L. 1977. Viscosity and surface tension effects on weir flow. J. Hydr. Div. ASCE 103:1227-31.
- Rao S.S., Shukla M.J. 1977. Characteristics of flow over weirs of finite crest width. J. Hydr. Div. ASCE 97:1807-16.
- Riberio M.L., Bieri M., Boillat J.L., Schleiss A.J., Singhal G., Sharma N. 2012. Discharge capacity of piano key weirs. J. Hydr. Eng. 138:199-203.
- Sargison K. 1972. The influence of surface tension on weir flow. J. Hydr. Res. 10:431-46.
- Sisman H.C. 2009. Experimental investigation on sharp-crested triangular weirs. MSc Thesis, Middle East University, Ankara, Turkey.
- Sommerfeld J.T., Stallybrass M.P. 1996. Flow equations for parabolic and elliptical weirs. J. Environ. Sci. Health A31:905-12.
- Staus A. 1930. Zur berechnung kreisrunder überfälle. Wasserkr. u. Wasserwirtsch. 25:122-3.
- Staus A. 1931. Der beiwert kreisrunder überfälle. Wasserkr. u. Wasserwirtsch. 26:42-4.
- Staus A. 1937. Der kreisüberfälle. Wasserkr. u. Wasserwirtsch. 32:116-9.
- Staus A. 1939. Der kreisüberfall und sein beiwert. Wasserkr. u. Wasserwirtsch. 34:79-83.
- Stevens J.C. 1957. Flow through circular weirs. J. Hydr. Div. ASCE 83:1-24.
- Taylor G. 1968. The performance of labyrinth weir. Thesis presented to University of Nottingham, England.
- Tison L.J. 1950. Le déversoir à seuil épais. La Houille Blanche 4:426-39.
- Tullis P., Amanian N., Waldron D. 1995. Design of labyrinth weir spillways. J. Hydr. Eng. 121:247-55.
- Vatankhah A.R. 2010. Flow measurement using circular sharp crested weirs. Flow Measure. Instr. 21:118-22.
- Wahlin B.T., Replogle J.A. 1994. Flow measurement using an overshoot gate. U.S. Department of the Interior Bureau of Reclamation, Denver, CO, USA.
- Woodburn J.G. 1932. Tests on broad-crested weirs. Trans. ASCE 96:387-408.